

### **AETC PTP AGGREGATE DATA AND PERFORMANCE MEASURES**

Unless otherwise stated, all aggregate data and performance measures should reflect your <u>last fiscal year or the last calendar year</u>.

**1.** Clinic Code: \_\_\_\_\_\_

Hispanic/Latino/ or Spanish

Black or African American

American Indian or Alaska Native

Men who have sex with men

Origin

(MSM) Women

2.	Define the dates of the measurement year reported on:									
Ag	gregate Clinic-Level Data to	o be Co	ollected fro	m all Particip	ating F	PTP Sites				
3.	Number of unique (i.e., undupli	icated) p	oatients seen	in clinic/unit:						
4.	Number of unique patients test	ted for H	IIV:							
5.	What percentage of your active (i.e., at least one visit in measurement year) clinic/unit population has ever had an HIV test (i.e., documented HIV test result or HIV status in their EHR)? (numerator/denominator)									
6.	Number of unique patients with HIV seen in clinic/unit:									
7.	7. What percentage of your unique clinic/unit population and unique HIV patient population (HIV patient population portion to be left blank by clinics that do not provide HIV care) fall into the categories listed below:									
		C	linic/Unit Po	pulation	Pati	ent Population	on with HIV			
		%	Numerator	Denominator [Q3]	%	Numerator	Denominator [Q6]			
Bel	ow 25 years of age									

<sup>1</sup> For example, if the clinic's ambulatory care unit is the focus of practice transformation, then report on the ambulatory care unit population and the HIV population of the ambulatory care unit only.



	C	linic/Unit Po	pulation	Patient Population with HIV		
	%	Numerator	Denominator [Q3]	%	Numerator	Denominator [Q6]
Transwomen (MTF)						
Men						
Transmen (FTM)						
Unstably housed <sup>2</sup>						

8. Number of unique patients living with HIV (PLWH) who had at least one viral load tes
-----------------------------------------------------------------------------------------

**9.** What percentage of PLWH at your clinic/unit fall into the following categories:

	Patient Population with HIV		
	%	Numerator	Denominator [Q6]
Newly diagnosed (i.e., diagnosed during measurement year) with HIV at clinic			
Newly receiving HIV care at clinic (i.e., PLWH new to clinic)			
Previously diagnosed with HIV who have never been in care			
PLWH that have missed scheduled appointment for 6 or more months (any 6 month period within the year)			
PLWH returning to care after more than a 12 month absence at the clinic			

#### Performance Measures to be Collected from all Participating PTP Sites

- **10.** Percentage of tested patients with documentation that they received the results of HIV test: Date of notification is needed in order to accurately calculate the percentage for those notified. Unique patients with a date of notification make up the numerator and unique patients tested are the denominator; if a patient had multiple tests during the measurement year, use the most recent test. (Source: <a href="https://hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.org/hrs.ncbi.
- **11. HIV Positivity**: Percentage of HIV positive tests in the measurement year (Source: <u>HRSA/HAB</u>, see appendix B)
- **12.** Percentage of newly diagnosed HIV patients who were linked to HIV care within <u>30</u> days:

  Percentage of patients who a documented test result for CD4 count or viral load within 30 days of HIV diagnosis (Source: <u>NHAS 2020 indicator</u>, see appendix B)

<sup>&</sup>lt;sup>2</sup> Unstable Housing Arrangements RSR definition: 1) emergency shelter, a public or private place not designed for, or ordinarily used as, a regular sleeping accommodation for human beings, including a vehicle, an abandoned building, a bus/train/subway station/airport, or anywhere outside; 2) jail, prison, or a juvenile detention facility; and 3) hotel or motel paid for with emergency shelter voucher.



- **13.** Percentage of newly diagnosed HIV patients who were linked to HIV care within <u>90</u> days:

  Percentage of patients who attended a routine HIV medical care visit within 90 days of HIV diagnosis (Source: <u>HRSA/HAB</u>, see appendix A and B)
- **14. HIV Medical Visit Frequency**: Percentage of patients, regardless of age, with a diagnosis of HIV who had at least one medical visit in each 6-month period of the 24-month measurement period with a minimum of 60 days between medical visits (Source: <a href="https://example.com/hRSA/HAB">https://example.com/hRSA/HAB</a> (NQF 2079), see appendix B)

- 17. Prescription of HIV Antiretroviral Therapy: Percentage of patients, regardless of age, with a diagnosis of HIV prescribed antiretroviral therapy for the treatment of HIV infection during the measurement year (Source: HRSA/HAB (NQF 2083), see appendix A and B)



#### **APPENDIX A**

### **UDS**<sup>3</sup> Data elements:

Percentage of newly diagnosed HIV patients who were linked to HIV care within <u>90</u> days HIV LINKAGE TO CARE (LINE 20) – Section L

PERFORMANCE MEASURE: The performance measure is "Percentage of newly diagnosed HIV patients who had a medical visit for HIV care within 90 days of first-ever HIV diagnosis. 14 This is calculated as follows:

- <u>Numerator</u>: Number of patients in the denominator who had a medical visit for HIV care within 90 days of first-ever HIV diagnosis
- <u>Denominator</u>: Number of patients first diagnosed with HIV between October 1, of the prior year through September 30, of the current measurement year.

### RSR<sup>4</sup> Data Elements:

#### **Substance Abuse Screening**

Field	Description		
Reference ID	61		
Element Name ScreenedSubstanceAbuseID			
Parent Element	ClientReport		
Definition	Value indicating whether the client was screened for substance use (alcohol and drugs) during this reporting period.		
Required	OA		
Occurrence	1 per required client		
Allowed Values	1 = No 2 = Yes 3 = Not medically indicated The allowed values below have been removed: 4 = Unknown (Removed)		

<sup>&</sup>lt;sup>3</sup> 2015 UDS Manual—September 3, 2015 V 1.0 OMB Number: 0915-0193, Expiration Date: 02/28/2018 http://www.bphc.hrsa.gov/datareporting/reporting/2015udsmanual.pdf, p. 111-113.

HRSA. RSR Data Dictionary and XML Schema Implementation Guide v3.2, November 10, 2014. <a href="https://careacttarget.org/sites/default/files/file-upload/resources/RSRDataDictionaryVersion3-2">https://careacttarget.org/sites/default/files/file-upload/resources/RSRDataDictionaryVersion3-2</a> rev2014-11-04%28final%29.pdf, p. 28-31.



## **Prescription of HIV Antiretroviral Therapy**

# 3.7.7 PrescribedArtID (Revised)

Field	Description
Reference ID	52
Element Name	PrescribedArtID  NOTE: "PrescribedHaartID" has been renamed "PrescribedArtID".
Parent Element	ClientReport
Definition	Value indicating whether the client prescribed ART at any time during this reporting period.
Required	OA
Occurrence	0-1 per required client
Allowed Values	1 = Yes 3 = No, not ready (as determined by clinician) 4 = No, client refused 5 = No, intolerance, side-effect, toxicity 6 = No, ART payment assistance unavailable 7 = No, other reason
	The allowed values below have been removed: 2 = No, not medically indicated (Removed) 8 = Unknown (Removed)



### **APPENDIX B**

Measure	Source	Definition	Numerator	Denominator	Data Elements
Percentage of tested patients who were notified of HIV test results (Q.8)	HRSA/HAB  (http://hab.hrs a.gov/deliverhi vaidscare/files /habpmssyste ms.pdf, p.5)	Percentage of individuals who test positive for HIV who are given their HIV-antibody test results in the measurement year.	Number of individuals who are tested in the system/network who test positive for HIV and who are given their HIV antibody test results in the measurement year.	Number of individuals who are tested in the system/ network and who test positive for HIV in the measurement year.	For each agency:  1. Was the patient tested for HIV infection during the measurement year? (Y/N)  a. If yes, did the patient have a positive confirmatory test? (Y/N)  i. If yes, was the patient given his/her confirmatory test result in the measurement year? (Y/N)  For the system:  1. How many patients were tested for HIV infection within the system/network in the measurement year?  a. How many patients had positive confirmatory tests?  i. Of those patients, how many received the confirmatory test results?
HIV Positivity (Q. 9)	HRSA  (http://hab.hrs a.gov/deliverhi vaidscare/syst emlevelmeasu res.pdf, p. 1)	Percentage of HIV positive tests in the measurement year	Number of HIV positive tests in the 12-month measurement period	Number of HIV tests conducted in the 12-month measurement period	Number of HIV tests conducted in the measurement year     a. Of the number of HIV tests conducted, number that were HIV positive



Measure	Source	Definition	Numerator	Denominator	Data Elements
Percentage of newly diagnosed HIV patients who were linked to HIV care within 30 days (Q.10)	NHAS 2020 indicator #4  (https://www.whitehouse.gov/sites/default/files/docs/nhas 2020 indicator supplement 8-15.pdfp. 10)	Percentage of patients who attended a routine HIV medical care visit within 30 days of HIV diagnosis	Number of persons newly diagnosed with HIV infection during the 12-month measurement period who were linked to care within 30 days of their diagnosis date as measured by a documented test results for a CD4 count or viral load.	Number of persons with an HIV diagnosis in 12-month measurement period	1. Did the patient receive a diagnosis of HIV in the measurement year? (Y/N)  a. If yes, did the patient have at least one documented test result for a CD4 count or viral load within 30 days of diagnosis of HIV? (Y/N)
Linkage to HIV Medical Care (Q.11)	HRSA  (http://hab.hrs a.gov/deliverhi vaidscare/syst emlevelmeasu res.pdf, p.4)	Percentage of patients who attended a routine HIV medical care visit within 3 months of HIV diagnosis	Number of persons who attended a routine HIV medical care visit within 3 months of HIV diagnosis	Number of persons with an HIV diagnosis in 12-month measurement period	1. Did the patient receive a diagnosis of HIV in the measurement year? (Y/N)  a. If yes, did the patient have at least one routine HIV medical care visit within 3 months of a diagnosis of HIV? (Y/N)



Measure	Source	Definition	Numerator	Denominator	Data Elements
HIV Medical Visit Frequency (Q.12)	HRSA/HAB (NQF 2079)  (http://hab.hrs a.gov/deliverhi vaidscare/core measures.pdf, p. 6)	Percentage of patients, regardless of age, with a diagnosis of HIV who had at least one medical visit in each 6-month period of the 24-month measurement period with a minimum of 60 days between medical visits	Number of patients in the denominator who had at least one medical visit in each 6-month period of the 24-month measurement period with a minimum of 60 days between first medical visit in the prior 6-month period and the last medical visit in the subsequent 6-month period	Number of patients, regardless of age, with a diagnosis of HIV with at least one medical visit in the first 6 months of the 24-month measurement period.	1. Does the patient, regardless of age, have a diagnosis of HIV? (Y/N)  a. If yes, did the patient have at least one medical case management visit in the first 6 months of the 24-month measurement period? (Y/N)  i. If yes, did the patient have at least one medical visit in the first 6 months of the 24-month measurement period? (Y/N)  1) If yes, did the patient have at least one medical visit in the second 6-month period of the 24-month measurement period?  AND  Was the patient's last visit in the second 6-month period 60 days or more from the 1st visit in the first 6-month period? (Y/N)  a) Did the patient have at least one medical visit in the third 6-month period of the 24-month measurement period?  AND  Was the patient's last visit in the third 6-month period 60 days or more from the 1st visit in the second 6-month period? (Y/N)  i) If yes, Did the patient have at least one medical visit in the fourth 6-month period of the 24-month measurement period? AND  Was the patient's last visit in the fourth 6-month period 60 days or more from the 1st visit in the fourth 6-month period 60 days or more from the 1st visit in the third 6-month period? (Y/N)



Measure	Source	Definition	Numerator	Denominator	Data Elements
Gap in HIV Medical Visits (Q. 13)	HRSA/HAB (NQF 2080) (http://hab.hrs a.gov/deliverhi vaidscare/core measures.pdf, p.8)	Percentage of patients, regardless of age, with a diagnosis of HIV who did not have a medical visit in the last 6 months of the measurement year	Number of patients in the denominator who did not have a medical visit in the last 6 months of the measurement year	Number of patients, regardless of age, with a diagnosis of HIV who had at least one medical visit in the first 6 months of the measurement year	1. Does the patient, regardless of age, have a diagnosis of HIV? (Y/N)  a. If yes, did the patient have at least one medical visit in the first 6 months of the measurement year? (Y/N)  i. If yes, did the patient have one or more medical visits in the last 6 months of the measurement year? (Y/N)
Substance Abuse Screening (Q.14)	HRSA  (http://hab.hrs a.gov/deliverhi vaidscare/adol escentadultme asures.pdf, p.22)	Percentage of new patients with a diagnosis of HIV who have been screened for substance use (alcohol & drugs) in the measurement year	Number of new patients with a diagnosis of HIV who were screened for substance use within the measurement year	Number of patients with a diagnosis of HIV who:  1. Were new during the measurement year AND  2. Had a medical visit with a medical provider with prescribing privileges at least once in the measurement year	1. Does the patient have a diagnosis of HIV? (Y/N) a. If yes, was the patient new to the program during the reporting period? (Y/N) i. If yes, was the patient screened for substance use during the measurement year? (Y/N)



Measure	Source	Definition	Numerator	Denominator	Data Elements
Prescription of HIV Antiretroviral Therapy (Q.16)	HRSA/HAB (NQF 2083) (http://hab.hrs a.gov/deliverhi vaidscare/core measures.pdf, p.3)	Percentage of patients, regardless of age, with a diagnosis of HIV prescribed antiretroviral therapy for the treatment of HIV infection during the measurement year.	Number of patients in the denominator prescribed HIV antiretroviral therapy during the measurement year	Number of patients, regardless of age, with a diagnosis of HIV with at least one medical visit in the measurement year	1. Does the patient, regardless of age, have a diagnosis of HIV? (Y/N)  a. If yes, did the patient have at least one medical visit during the measurement year? (Y/N)  i. If yes, was the patient prescribed HIV antiretroviral therapy during the measurement year? (Y/N)
Viral load suppression (Q.17)	HRSA/HAB (NQF 2082) (http://hab.hrs a.gov/deliverhi vaidscare/core measures.pdf, p.1)	Percentage of patients, regardless of age, with a diagnosis of HIV with a HIV viral load less than 200 copies /mL at last HIV viral load test during the measurement year.	Number of patients in the denominator with a HIV viral load less than 200 copies/ml at last HIV viral load test during the measurement year	Number of patients, regardless of age, with a diagnosis of HIV with at least one medical visit in the measurement year	1. Does the patient, regardless of age, have a diagnosis of HIV? (Y/N)  a. If yes, did the patient have at least one medical visit during the measurement year? (Y/N)  i. If yes, did the patient have a HIV viral load test with a result <200 copies/mL at the last test? (Y/N)