

in+care Campaign Measures

November 9, 2011

Retention Measure 1: Gap Measure				
Percentage of patients, regardless of age, with a diagnosis of HIV/AIDS who did not have a medical visit with a				
provider with prescribing privileges [1] in the last 180 days of the measurement year				
Numerator:	Number of patients who had no medical visits in the last 180 days of the measurement year			
Number of patients, regardless of age, with a diagnosis of HIV/AIDS who had				
Denominator:	medical visit with a provider with prescribing privileges [1] in the first 6 months of the			
	measurement year			
	1. Patients who are documented to be deceased at any time in the measurement year			
Patient	2. Patients who were incarcerated for greater than 90 days of the measurement year			
Exclusions:	3. Patients who relocated out of the service area or transferred medical care at any time in			
	the measurement year			
	1. Does the patient, regardless of age, have a diagnosis of HIV/AIDS? (Yes/No)			
	a. Did the patient have at least one medical visit in the first 6 months of measurement			
Data Element:	year? (Yes/No)			
	i. If yes, did the patient have no medical visit in the last 180 days of measurement			
	year? (Yes/No)			
	[1] A "provider with prescribing privileges" is a health care professional who is licensed in			
Note:	their jurisdiction to prescribe ARV therapy (i.e., physician, physician assistant, and/or nurse			
	practitioner).			

Retention Measure 2: Medical Visit Frequency				
Percentage of patients, regardless of age, with a diagnosis of HIV/AIDS who had at least one medical visit with a				
provider with prescribing privileges [1] in each 6-month period of the 24-month measurement period with a				
minimum of 60 days between medical visits				
	Number of patients with at least one medical visit in each 6-month period of the 24-month			
Numerator:	measurement period with a minimum of 60 days between first medical visit in the prior 6-			
	month period compared to the last medical visit in the subsequent 6-month period			
	Number of patients, regardless of age, with a diagnosis of HIV/AIDS with at least one medical			
Denominator:	visit with a provider with prescribing privileges [1] in the first 6 months of the 24-month			
measurement period				
	1. Patients who are documented to be deceased at any time in the measurement period			
Patient	2. Patients who were incarcerated for greater than 90 days of the measurement period			
Exclusions:	3. Patients who relocated out of the service area or transferred medical care at any time in			
	the measurement period			
	1. Does the patient, regardless of age, have a diagnosis of HIV/AIDS? (Yes/No)			
Data Element:	a. Did the patient have at least one medical visit in the first 6 months of the 24-month			
	measurement period? (Yes/No)			
	i. If yes, did the patient have at least one medical visit in each 6-month period of			
	the 24-month measurement period with a minimum of 60 days between first			
	medical visit in the prior 6-month period compared to the last medical visit in			
	the subsequent 6-month period? (Yes/No)			
	[1] A "provider with prescribing privileges" is a health care professional who is licensed in			
Note:	their jurisdiction to prescribe ARV therapy (i.e., physician, physician assistant, and/or nurse			
	practitioner).			

November 8, 2011 1



Retention Measu	Retention Measure 3: Patients Newly Enrolled in Medical Care			
Percentage of patients, regardless of age, with a diagnosis of HIV/AIDS who were newly enrolled with a medical				
provider with prescribing privileges [1] who had a medical visit in each of the 4-month periods in the				
measurement year				
Numerator:	Number of patients who had at least one medical visit in each 4-month period of the measurement year			
Denominator:	Number of patients, regardless of age, with a diagnosis of HIV/AIDS who were newly enrolled [2] with a medical provider AND had at least one medical visit with a provider with prescribing privileges in the first 4 months of the measurement year			
Patient	 Patients who are documented to be deceased at any time in the measurement year Patients who were incarcerated for greater than 90 days of the measurement year 			
Exclusions:	3. Patients who relocated out of the service area or transferred medical care at any time in the measurement year			
Data Element:	Does the patient, regardless of age, have a diagnosis of HIV/AIDS? (Yes/No) a. Was the patient newly enrolled with a medical provider AND have at least one medical visit in the first 4 months of the measurement year? (Yes/No) i. If yes, did the patient have at least one medical visit in each of the 4-month periods in the measurement year? (Yes/No)			
Note:	[1] A "provider with prescribing privileges" is a health care professional who is licensed in their jurisdiction to prescribe ARV therapy (i.e., physician, physician assistant, and/or nurse practitioner). [2] "Newly enrolled" patients are those who are: newly diagnosed with HIV/AIDS and new to			

Retention Measure 4: Viral Load Suppression				
Percentage of patients, regardless of age, with a diagnosis of HIV/AIDS with a viral load less than 200 copies/mL				
at last viral load test during the measurement year				
Numerator :	Number of patients with a viral load less than 200 copies/mL [2] at last viral load test during the measurement year [3]			
Denominator :	Number of patients, regardless of age, with a diagnosis of HIV/AIDS with at least one medical visit with a provider with prescribing privileges [1] in the measurement year			
Patient Exclusions:	 Patients who are documented to be deceased at any time in the measurement year Patients who were incarcerated for the greater than 90 days of the measurement year Patients who relocated out of the service area or transferred medical care at any time in the measurement year 			
Data Element:	 Does the patient, regardless of age, have a diagnosis of HIV/AIDS? (Yes/No) a. If yes, did the patient have at least one medical visit during the measurement year? (Yes/No) i. If yes, did the patient have a viral load less than 200 copies/mL on the last viral load test? (Yes/No) 			
Note:	[1] A "provider with prescribing privileges" is a health care professional who is licensed in their jurisdiction to prescribe ARV therapy (i.e., physician, physician assistant, and/or nurse			

November 8, 2011 2



practitioner).

[2] The Department of Health and Human (DHHS) guidelines and the AIDS Clinical Trials Group define virologic failure as a confirmed viral load greater than 200 copies/mL.
[3] Patients with no viral load tests in the measurement year are to be included in the denominator.

Data Submission Periods

Submission Due Date	Measurement Year*	24-Month Measurement Period**
12/01/2011	10/01/2010 - 09/30/2011	10/01/2009 - 09/30/2011
02/01/2012	12/01/2010 - 11/30/2011	12/01/2009 – 11/30/2011
04/02/2012	02/01/2011 - 01/31/2012	02/01/2010 - 01/31/2012
06/01/2012	04/01/2011 – 03/31/2012	04/01/2010 - 03/31/2012
08/01/2012	06/01/2011 – 05/31/2012	06/01/2010 – 05/31/2012
10/01/2012	08/01/2011 – 07/31/2012	08/01/2010 - 07/31/2012
12/03/2012	10/01/2011 – 09/30/2012	10/01/2010 - 09/30/2012

^{*} applies to the following measures: Gap Measure, Patients Newly Enrolled in Medical Care, and Viral Load Suppression

November 8, 2011 3

^{**} applies to the Medical Visit Frequency measure